

FWA6706R

1U Rackmount Network Appliance

Entry 1U Network Appliance with Intel® Celeron® Processor N3350 & 6 GbE Ports



Features

- Intel® Celeron® Processor N3350, Dual-Core 1.1GHz
- 2x DDR3L SO-DIMMs; Max. 16GB (non-ECC)
- 6x PCI-E GbE ports; 1x advanced LAN Bypass pair
- 1x Mini PCI-E slot
- 1x CF slot

Specifications

CPU	Intel® Celeron® Processor N3350, Dual-Core 1.1GHz
Chipset	N/A
Memory	2x DDR3L SO-DIMMs up to 1866MHz, Max. 16GB (Non-ECC)
Display	1x VGA via pin-header 1x LCM
Ethernet	6x Intel® I211-AT GbE
Bypass	1x segment, LAN 5/6
Expansion	1x Mini PCI-E slot (PCIe & USB signal)
IPMI	N/A
Storage	1x 2.5" SATA drive bay 1x CF slot
TPM	TPM 1.2
I/O	1x LCM 3x LED (Power / HDD / Status) 1x Factory default button (GPIO) 1x RJ45 console 2x USB 3.0
Power Supply	Full range 65W open frame
Dimensions	438 mm (W) x 180 mm (D) x 44 mm (H) 17.24" (W) x 7.09" (D) x 1.73" (H)
Weight	3 kg (6.62 lbs)
Operating Temperature	0°C ~ 40°C (32°F ~ 104°F)
Storage Temperature	-20° ~ 70°C (-4°F ~ 158°F)
Operating Humidity	5% ~ 90%
Certification	CE/FCC

Ordering Information

FWA6706R	1U Rackmount Appliance, MBN501 Intel® N3350 Dual-Core 1.1GHz, 2x DDR3L SO-DIMMs, Max. 6 GbE Ports, 65W Open Frame, CPU Cooler, Barebone without RAM/HDD
----------	---

Accessories

PK1-51	Console cable, 160cm
VGA21A	VGA cable, 40cm

Dimensions

